


Galeo

Coronary Guide Wire

Indicated for PTCA applications




- Hydrophobic coating for an optimal tactile feel
- Enhanced torque response for precise steerability
- Broad selection of tip stiffnesses and support levels

Galeo Guide Wire – Not just a wire...

The secret of Galeo's unique "fingertip feeling" is the combination of unique Controlled Transmission Platform (CTP), one-piece-construction of the full length core wire and hydrophobic distal coating.

Femoral and radial shaft markers



Optimal tactile feel

Hydrophobic coating over the entire coiled section of the guide wire enhances the tactile feel. This makes it the preferred choice for situations where a more stable feel inside the vessel is required.

Enhanced torque response

One-piece-construction core wire provides optimal torque response. The "Controlled Transmission Platform" helps keep the core wire centered within the coil while navigating tortuous anatomy. This combination improves torque response and provides precise steerability.


Options

Different tip stiffnesses and support levels offer a broad guide wire range for various clinical needs.


...it's the extension of your fingertips

Controlled Transmission Platform (CTP)

The direct connection between the core wire and the distal coil.



Galeo EW (Extension Wire) provides a fast and reliable method for extending the Galeo and Galeo Pro guide wire for a further 150 cm. The guide wire and the extension wire can easily be pulled apart to revert to the original guide wire length.



Galeo

Coronary Guide Wire

Technical Data	Guide wire	
	Diameter	0.014"
	Length	190 cm
	Core wire material	Stainless steel
	Proximal coil	27.4 cm, stainless steel
	Distal coil	26 mm, palladium, radiopaque
	Proximal (shaft) coating	PTFE
	Distal coating	Hydrophobic (30 cm)
	Range of tip flexibilities	High Flexible (HF), Flexible (F), Medium (M)
	Range of support levels	Standard and ES (Extra Support)
	Shaft markers	92 cm and 102 cm from distal end

Order Information	Catalogue number	Tip shape	Tip flexibility	Label color code	Support level	Length
Galeo Guide Wires						
	406886	Straight	High Flexible	■ Red	Standard	190 cm
	406887	Straight	Flexible	■ Orange	Standard	190 cm
	406888	Straight	Medium	■ Blue	Standard	190 cm
	406889	Straight	Flexible	■ Yellow	Extra support	190 cm
Galeo EW (Extension Wire)						
	406890			■ Purple		150 cm

Galeo is part of the BIOTRONIK coronary solutions portfolio, including:

- Stents: **Orsiro, PRO-Kinetic Energy, PK Papyrus** ■ Balloons: **Pantera Lux, Pantera LE0, Pantera Pro, AngioSculpt**
- Guide Wires: **Galeo Pro, Cruiser/Cruiser Hydro, Magnum**

Manufacturer:
 Concert Medical, LLC
 77 Accord Park Dr.
 Norwell, MA 02061 -1605 · USA
 Tel +1 (781)871 7882
 info@concertmedical.com
 www.concertmedical.com

Distributor:
 BIOTRONIK AG
 Ackerstrasse 6
 8180 Bülach · Switzerland
 Tel +41 (0)44 8645111
 Fax +41 (0)44 8645005
 info.vi@biotronik.com
 www.biotronik.com

For ordering please contact your
 local sales representative